




① PREPARE    ② TREAT    ③ MAINTAIN

# PRODUCT RANGE





# INTRODUCING

## NEW WOCA LOGO AND PRODUCT LABEL

We have presented the new WOCA logo and it has been well received by the market. We are happy with the feedback from our customers, who tell us that the new WOCA logo is considered a very contemporary Scandinavian design.

Alongside the logo change we have also introduced a new label design for our products. With the new design the label will inform customers what the product is and what it does.



*"What it does..."*

*"What it is..."*

The newly introduced products are all displaying the new label design and existing products will change gradually during 2018/19.

Our warehouse is managed by FIFO principle which means that products produced first will be shipped first to market. This means that during this period of transition you will experience some products with the new logo and

others with the existing logo. Within a single item no. you will always have the same label for that shipment and you will not experience that we will go back from new to old logo.

We hope this information will give you a little understanding and minimises the inconveniences that you might experience in the coming period.

# Index

	Page
<b>WOCA System .....</b>	<b>4</b>
 <b>FLOORING</b>	
Prepare .....	<b>5-6</b>
Oil - Treat.....	<b>6-7</b>
Oil - Maintain.....	<b>8-10</b>
Lacquer - Treat .....	<b>11</b>
Lacquer - Maintain.....	<b>12</b>
Paint - Treat .....	<b>13</b>
 <b>INDOOR</b>	
Oil - Prepare .....	<b>14</b>
Oil - Treat.....	<b>14</b>
Oil - Maintain.....	<b>15</b>
 <b>OUTDOOR</b>	
Oil - Prepare .....	<b>16</b>
Oil - Treat.....	<b>17</b>
Oil - Maintain.....	<b>17</b>
 <b>WOCA Accessories.....</b>	 <b>18-22</b>
 <b>WOCA Certifications.....</b>	 <b>22</b>



QUALITY SYSTEM AND ENVIRONMENTAL MANAGEMENT SYSTEM

**DS/EN ISO 9001**  
**DS/EN ISO 14001**

## **DS/EN ISO 9001 and DS/EN ISO 14001**

WOCA Denmark is certified according to the following standards: ISO 9001:2015 – the international standard for quality control; and ISO 14001:2015 – the international standard for environmental management.

The quality and environmental management systems ensure, that sales, supply, product development and production are conducted according to defined procedures and instructions known by all


members of staff. ISO 9001 ensures that the defined quality of procedures and products is guaranteed – and therefore the products feature uniform quality.

ISO 14001 takes into account all aspects concerning the environment. This applies to choosing raw materials, the internal environment, but also the handling of waste.

Furthermore, new targets for the improvement of quality and environment are set permanently.



# WOCA System





# FLOORING – Prepare



1 L – 2.5 L
200–300 m²/L
Water based
Free
—

## Intensive Wood Cleaner

WOCA Intensive Wood Cleaner is a specially developed cleaning product for all indoor wood surfaces regardless of whether they are untreated, oiled or lacquered.

- For unfinished, oiled, waxed, lacquered or soaped indoor wood
- Prepares surfaces for additional treatment
- Basic cleaning and grease removal
- High efficiency
- Approved EN 71-3:2013
- Certified by IBR



0.75 L
—
Water based
Free
—

## Intensive Wood Cleaner (Spray)

WOCA Intensive Wood Cleaner is a unique ready-to-use spray for the allround cleaning of all interior woodwork such as furniture, staircases, doors, panels and worktops independently whether the surfaces are oiled, waxed or lacquered.

- Ready mixed
- For untreated, lacquered, oiled or soaped indoor woodwork
- Basic cleaning and grease removing
- Suitable for toys
- Certified by IBR



2.5 L
8–10 m²/L
Water based
Free
—

## Antique Oak Lye

WOCA Antique Oak Lye has been especially developed to creates a very unique colour and vintage appearance to oak wood.

- Requires subsequent treatment with oil or soap
- Only for oak wood
- Does not contain pigments
- Certified by IBR



2.5 L
8–10 m²/L
Water based
Free
White or Grey

## Driftwood Lye

WOCA Driftwood Lye is primarily for oak wood. By using the product, the wood will get an unique 2-dimensional, appearance and weather-beaten patina.

- Gives oak a weather-beaten patina
- Requires additional treatment with oil
- Water-based
- Only suitable for oak wood
- Certified by IBR



2.5 L
8–10 m²/L
Water based
Free
Contains white pigments

## Softwood Lye

WOCA Softwood Lye is developed for new or freshly sanded softwood [pine, spruce and pitch pine]. Also suitable for new ceilings and panels before mounting. Not suitable for hardwood.

- Preserves the light colours of the wood
- Requires after-treatment with oil or soap
- Only suitable for softwood
- Contains white pigments
- Certified by IBR



2.5 L
8–10 m²/L
Water based
Free
White or Grey

## Wood Lye

WOCA Wood Lye is developed for new or freshly sanded wood floors and may be applied on solid floors as well as on engineered floors.

- For a lighter finish
- Reduces yellowing process of the wood
- Requires subsequent treatment with oil, lacquer or soap
- Suitable for any type of wood
- Certified by IBR



	2.5 L
	8–10 m²/L
	Water based
	Max. 50 g/L
	White or Grey

## Active Stain

WOCA Active Stain is developed to produce grey special effect colours in oak wood and creates a very unique colour. The product is non-corrosive.

- Gives oak a grey special effect appearance
- Water-based and non-corrosive
- Requires additional treatment with oil, oil lacquer or soap
- Certified by IBR



	2.5 L
	8–10 m²/L
	Water based
	Max. 100 g/L
	White, Grey or Black

## Pre-Colour Stain

WOCA Pre-Colour Stain is a water-based stain used for the priming of unfinished or newly sanded interior woodwork i.e. floors, stairs, furniture and panels.

- Provides new intensive colours
- Requires subsequent treatment with oil or lacquer
- Suitable for any type of wood

# FLOORING – Oil – Treat



	0.25 L – 1 L – 2.5 L
	20–25 m²/L
	Solvent based
	Max. 85 g/L
	9 colours

## Diamond Oil Active

WOCA Diamond Oil Active is ideal for basic finishing of any unfinished, new and newly sanded interior woodwork. The oil's unique hyper cross-linking technology will give your wooden floor a comfortable, non-slip surface that is extremely water repellent and easy to clean and maintain.

- Resistant to liquids, scratches and marks
- Gives the wood a beautiful, breathable surface
- Certified by IBR




	1 L – 2.5 L
	20–25 m²/L
	Solvent based
	Max. 15 g/L
	9 colours*

\* Only natural, white and extra white in 1 L

## Diamond Oil

WOCA Diamond Oil is used for oil basic finishing of wooden floors with polishing machine. It ensures an extremely hard-wearing, dirt and water repellent surface.

- Suitable for all types of wood floors
- Waterproof and fast drying
- Extremely high solid content and hard-wearing surface
- Certified by IBR







**L** 1 L – 2.5 L

**m²** 8-12 m²/L

**Water based**

**VOC** Max. 10 g/L

**Natural**

## Invisible Oil Primer (step 1)

WOCA Invisible Oil Primer is a water-based product suitable for priming of untreated or newly sanded wood surfaces indoor.

- 2-step treatment
- Provides the wood with an invisible finish
- Water-based
- Fast drying
- Approved EN 71-3:2013
- Certified by IBR



**L** 1 L – 2.5 L

**m²** 30-40 m²/L

**Water based**

**VOC** Max. 95 g/L

**Natural**

## Invisible Oil (step 2)

WOCA Invisible Oil is a top coat on top of WOCA Invisible Oil Primer. The oil provides the wood with a solid protection and a neutral/invisible look that resembles untreated wood.

- 2-step treatment
- Provides the wood with an invisible finish
- Water-based
- Fast drying
- Approved EN 71-3:2013
- Certified by IBR



**L** 0.75 L – 2.5 L

**m²** Approx. 20 m²/L

**Solvent based**

**VOC** Max. 515 g/L

**Natural or Extra White**

## Hardwax Oil Extreme

WOCA Hardwax Oil Extreme is suitable for basic treatment of untreated, new or newly-sanded wooden surfaces, or as a topcoat on top of WOCA Master Colour Oil. The oil emphasises the natural glow of the wood, leaving a comfortable anti-slip surface that is easy to maintain.

- Resistant to liquids, scratches and marks
- Natural appearance and breathable surface of the wood
- Easy to maintain using associated care products
- Certified by IBR



**L** 2.5 L

**m²** Approx. 20 m²/L

**Solvent based**

**VOC** Max. 500 g/L

**Natural or White – (Matt or Silk-matt)**

## Hardwax Oil Swift

WOCA Hardwax Oil Swift combines natural oil and wax in a single product, ensuring an extremely robust surface with high resistance to spills and stains. It gives the floor a natural appearance and a comfortable non-slip surface that is easy to maintain.

- Does not need to be polished into the wood
- Resistant to liquids, scratches and marks
- Natural appearance and breathable surface of the wood
- Certified by IBR



**L** 1 L – 2.5 L

**m²** 10-12 m²/L

**—**

**VOC** Max. 430 g/L

**11 colours**

## Master Colour Oil

WOCA Master Colour Oil colours and protects in one application. Suitable for all wood species as well as cork. It may be used on unfinished or freshly sanded lye treated interior woodwork.

- Ensures a hardwearing, dirt and water resistant surface
- Suitable for manual application
- Also for large areas
- Certified by IBR



**L** 1 L

**—**

**—**


**VOC** Max. 810 g/L

**—**

## Solvent

WOCA Solvent is a mild thinner ideal for cleaning of tools and thinning down of oil.

- Mild thinner for oil dilution
- Non aromatic
- Ideal for cleaning tools



# FLOORING – Oil – Maintain



	1 L – 2.5 L
	200–300 m²/L
	Water based
	Free
	—

## Intensive Wood Cleaner

WOCA Intensive Wood Cleaner is a specially developed cleaning product for all indoor wood surfaces regardless of whether they are untreated, oiled or lacquered.

- For unfinished, oiled, waxed, lacquered or soaped indoor wood
- Prepares surfaces for additional treatment
- Basic cleaning and grease removal
- High efficiency
- Approved EN 71-3:2013
- Certified by IBR



	0.75 L
	—
	Water based
	Free
	—

## Intensive Wood Cleaner (Spray)

WOCA Intensive Wood Cleaner is a unique ready-to-use spray for the allround cleaning of all interior woodwork such as furniture, staircases, doors, panels and worktops independently whether the surfaces are oiled, waxed or lacquered.

- Ready mixed
- For untreated, lacquered, oiled or soaped indoor woodwork
- Basic cleaning and grease removing
- Suitable for toys
- Certified by IBR



	1 L – 2.5 L – 5 L
	320–400 m²/L
	Water based
	Free
	Natural, White or Grey*

*\* Only in 1 L and 2.5 L*

## Natural Soap

The oily WOCA Natural Soap removes dirt and provides the wood with a protective layer at the same time. The soap is especially ideal for floors, furniture, table tops and panels.

- Nourishing effect
- For the basic treatment of softwood
- Ideal for floors, furniture, table tops and panels
- For regularly cleaning
- Certified by IBR



	0.75 L
	—
	Water based
	Free
	Natural or White

## Natural Soap

WOCA Natural Soap is suitable for regular cleaning and for the protection of indoor wood. The ready mixed spray facilitates the maintenance of oiled furniture, doors, table tops, panels, stairs, floors etc.

- Suitable for toys
- For the cleaning and maintenance of all wood surfaces
- Replenishes grease
- Ready mixed
- For regularly cleaning
- Certified by IBR



	5 L
	320–400 m²/L
	Water based
	Free
	Natural

## Master Soap

WOCA Master Soap may be used for the regular cleaning of wood, regardless of wood species and surface treatment. The soap is especially suitable for frequently cleaned wood floors.

- For the cleaning and maintenance of all wood floors
- Particularly suitable for larger floors with frequent cleaning
- May be applied both manually and by machine
- For regularly cleaning
- Certified by IBR



	1 L – 2.5 L
	150–200 m²/L
	Water based
	Free
	Natural or White

## Oil Refreshing Soap

WOCA Oil Refreshing Soap is a mild maintenance agent for the cleaning and maintenance of oiled and waxed wood floors. It combines optimum cleaning with a simultaneous re-application of oil.

- Ensures maximum dirt and waterresistance from day one
- Enhances the natural colour to the wood
- Cleans and maintains the floor gently
- Leaves a mat protecting oil film on the wood surface
- For regularly cleaning
- Certified by IBR





	2.5 L
	Approx. 40–50 m²/L
	Solvent based
	Max. 100 g/L
	Natural or White

## Maintenance Oil Diamond Active

Use WOCA Maintenance Oil Diamond Active for the ultimate care and maintenance of your oiled wooden floor. WOCA Maintenance Oil Diamond Active refreshes the natural, warm glow of the wood and increases resistance to stains and waste, via a unique hyper cross linking technology.

- Resistant to liquids, scratches and marks
- Gives the wood a beautiful, breathable surface
- For occasional cleaning
- Certified by IBR



	1 L – 2.5 L
	30–40 m²/L
	—
	Max. 630 g/L
	Natural, White, Extra White*, Brown* or Grey*

\* Only in 1 L

## Maintenance Oil

WOCA Maintenance Oil provides the floor with additional hardware properties in the upper pore layer. At the same time the wood receives the ideal finish highlighting the natural wood grain and the colours.

- For the maintenance of all oiled wood floors
- Simple application both manually or by machine
- For occasional cleaning
- Certified by IBR



	1 L
	30–40 m²/L
	Water based
	Free
	Natural or White

## Oil Care

WOCA Oil Care provides the floor with additional hard wearing properties in the upper pore layer. At the same time, the wood receives the ideal finish, highlighting the natural wood grain and the colours.

- Simple application both manually or by machine
- Fast drying
- Eco-friendly indoor environments
- For occasional cleaning
- Certified by IBR



	1 L
	30–40 m²/L
	Water based
	Max. 10 g/L
	Natural

## Invisible Oil Care

WOCA Invisible Oil Care leaves the floor with a soft feel and comfortable surface.

- Used for enhanced protection
- Remains the floor with a soft feel surface
- Protects the surface against heavy wear and scratches
- Water-based
- Easy to apply
- Certified by IBR



	0.2 L
	20–30 m²/L
	Solvent based
	Max. 135 g/L
	Natural or White

## Maintenance Gel

WOCA Maintenance Gel is quick-drying and leaves an attractive, water- and dirt-repellent surface. The final buffing gives a hard-wearing surface and added protection.

- Gives a water- and dirt-repellent surface
- Quick-drying
- Simple application both manually or by machine
- Certified by IBR



	3 x 1 L
	—
	—
	—
	Natural or White


## Maintenance Box – for oiled floors

The box contains:

- 1 L Maintenance Oil
- 1 L Intensive Wood Cleaner
- 1 L Natural Soap
- 1 pad
- 1 cloth
- 1 spray



---

	0.25 L spray can
---	------------------

---



—



Water based



Free



Natural

---


## Wood Stain Remover

WOCA Wood Stain Remover effectively dissolves grease, blood, coffee, tea etc. It may be used on unfinished, soaped, oiled or waxed interior wood surfaces, especially good on softwood.

- Removes spots from wood surfaces, e.g. coffee and red wine
- Sprayable
- "First Aid" product
- Approved EN 71-3:2013
- Certified by IBR



---

	0.25 L spray
---	--------------

---



—



Water based



Free



Natural

---

## Tannin Spot Remover

WOCA Tannin Spot Remover effectively removes black spots caused by metal contact reaction. It may be used on unfinished, soaped, oiled or waxed interior surfaces.

- Ready mixed
- Simple application
- For small areas
- Requires additional treatment
- "First Aid" product
- Certified by IBR



# FLOORING – Lacquer – Treat



	5 L
	6–10 m²/L
	Water based
	Max. 100 g/L
	Natural, White or Grey

## Base Primer

WOCA Base Primer is a special water-based acrylic wood primer that dries quickly and sands well. It also serves as a tough basecoat for further treatment with other water-based WOCA floor lacquer.

- Water-based primer
- Fast drying, 60 min at 20 °C
- NMP Free
- Prevents sidebondings
- Easy to sand



	5 L
	8–10 m²/L
	Water based
	Max. 100 g/L
	Natural matt or Natural silk matt

## Excellent Lacquer

WOCA Excellent Lacquer is a water-based, low-odour, quick-drying floor lacquer with good fill characteristics that produces a scratch-resistant and durable surface.

- Quick-drying
- Good stain resistance
- Economic in use
- Suitable for living rooms etc.



	5 L
	8–10 m²/L
	Water based
	Max. 100 g/L
	Natural matt or Natural silk matt

## Superior Lacquer

WOCA Superior Lacquer is a high-quality water-based, air-hardening, single-component floor lacquer. It is easy to use because it does not need to be mixed with a hardener, and its thickness and fill quality results in a surface with extra scratch-resistance and durability.

- Top quality lacquer
- Indoor climate labelled
- Extra durable, scratch-resistant surface
- Suitable for corridors, entrance halls etc.



	5 L
	8–10 m²/L
	Water based
	Max. 50 g/L
	Natural matt or Natural silk matt

## Advanced 2K Lacquer

WOCA Advanced 2K Lacquer is a high quality, water-based, 2-component floor lacquer that is extra-resistant to black heel marks, scratches and stains.

- Does not contain isocyanates
- Extra-durable, scratch resistant surface
- Suitable for high traffic areas
- Certified by IBR



	0.05 L
	—
	Water based
	—
	—

## 2K Hardener

- Hardener for WOCA 2K Lacquers
- Free from isocyanate

# FLOORING – Lacquer – Maintain



	1 L
	Approx. 400 m²/L
	Water based
	Free
	Natural

## Vinyl Laminate and Lacquer Soap

WOCA Vinyl Laminate and Lacquer Soap is suitable for the cleaning of all vinyl, laminated, lacquered or painted surfaces. It does not build up soap film, and therefore it is very suitable for surfaces requiring frequent cleaning.

- For vinyl, laminate, lacquered or painted surfaces
- To be applied manually or by machine
- Non film building
- Easy to apply
- Fast drying
- Certified by IBR



	1 L
	60 m²/L
	Water based
	Max. 45 g/L
	Natural

## Vinyl Laminate and Lacquer Care

WOCA Vinyl Laminate and Lacquer Care strengthens the surface as it protects against wear and tear and scratches and in that way, it prolongs the life of the lacquered surface.

- Comprehensive care for all lacquered surfaces
- Easy to apply
- Fast drying
- Additional protection of the surface
- Revitalizes the existing lacquer
- Certified by IBR



	3 x 1 L
	—
	Water based
	—
	—

## Maintenance Box – vinyl and lacquered floors

The box contains:


- 1 L Vinyl and Lacquer Care
- 1 L Wood Cleaner
- 1 L Vinyl and Lacquer Soap
- Two cloths




# FLOORING – Paint – Treat



 2.5 L

 6-10 m<sup>2</sup>/L

 Water based

 Max. 105 g/L

 White

## Wood Floor Paint

WOCA Wood Floor Paint is a unique product providing a rich built up surface. The product is suitable for all types of woodwork such as floors as well as staircases.

- Full colour
- VOC approved
- Two coats only
- Hard wearing
- Easy aftercare



# INDOOR – Oil – Prepare



	1 L – 2.5 L
	200–300 m²/L
	Water based
	Free
	—

## Intensive Wood Cleaner

WOCA Intensive Wood Cleaner is a specially developed cleaning product for all indoor wood surfaces regardless of whether they are untreated, oiled or lacquered.

- For unfinished, oiled, waxed, lacquered or soaped indoor wood
- Prepares surfaces for additional treatment
- Basic cleaning and grease removal
- High efficiency
- Approved EN 71-3:2013
- Certified by IBR
- *Also used for maintenance*



	0.75 L
	—
	Water based
	Free
	—

## Intensive Wood Cleaner (Spray)

WOCA Intensive Wood Cleaner is a unique ready-to-use spray for the allround cleaning of all interior woodwork such as furniture, staircases, doors, panels and worktops independently whether the surfaces are oiled, waxed or lacquered.

- Ready mixed
- For untreated, lacquered, oiled or soaped indoor woodwork
- Basic cleaning and grease removing
- Suitable for toys
- Certified by IBR
- *Also used for maintenance*

# INDOOR – Oil – Treat



	0.75 L
	12–15 m²/L
	—
	Max. 260 g/L
	4 colours



## Worktop Oil

WOCA Worktop Oil is designed for untreated or previously oiled/sanded wood surfaces. The oil makes the surface highly water and dirt repellent.

- Provides a dirt- and water resistant surface
- Suitable for both light and dark types of wood
- Enhances the colour of the wood
- Natural and White colours are EU Food Safe



	0.25 L can
	8-10 m²/250 ml
	—
	Free
	Natural

## Bees' Wax Balm

WOCA Bees' Wax Balm is for the treat and maintenance of untreated, stained or lye treated wood surfaces indoors (especially for furniture and toys).

- For the wax treatment of smaller wood surfaces
- Creates a smooth finish on interior woodwork
- Water- and dirt resistant
- Enhances the natural structure of the wood



	0.75 L – 2.5 L
	8–12m²/L
	Water based
	Max. 60 g/L
	White, extra white and full mat*

\* Only in 2.5 L






## Panel White (Panel White Paint)

WOCA Panel White is a water-based product for the lightening up of yellowed wood, e.g. ceilings and wall panels. Panel White is used indoors for untreated and lacquered softwood.

- Preserves the natural structure of the wood
- Delays discolourating of resin and protects against 'popping' of the knots

# INDOOR – Oil – Maintain



	1 L – 2.5 L – 5 L
	320–400 m²/L
	Water based
	Free
	Natural, white and grey*






*\* Only in 1 L and 2.5 L*

## Natural Soap

The oily WOCA Natural Soap removes dirt and provides the wood with a protective layer at the same time. The soap is especially ideal for floors, furniture, table tops and panels.

- Also for Nourishing effect
- For the basic treatment of softwood
- Ideal for floors, furniture, table tops and panels
- For regularly cleaning
- Certified by IBR



	0.75 L
	—
	Water based
	Free
	Natural and white

## Natural Soap


WOCA Natural Soap is suitable for regular cleaning and for the protection of indoor wood. The ready mixed spray facilitates the maintenance of oiled furniture, doors, table tops, panels, stairs, floors etc.


- Suitable for toys
- For the cleaning and maintenance of all wood surfaces
- Replenishes grease
- Ready mixed
- For regularly cleaning
- Certified by IBR



# OUTDOOR – Oil – Prepare



 1 L – 2.5 L

 6–10 m<sup>2</sup>/L

 Water based

 Free


 —

## Exterior Wood Cleaner

WOCA Exterior Wood Cleaner is for the cleaning of wood decking, garden furniture, cladding/sidings, fences, doors, carports etc. The product removes green growth and dirt.

- Removes moss and algae growth, prevents resettlement
- Suitable for decking, garden furniture, claddings and sidings
- Manual or mechanical cleaning
- Not harmful to vegetation




 0.75 L – 2.5 L – 5 L

 Appox. 8–10 m<sup>2</sup>/L

 Water based

 Free

 Transparent, slight white tint


## Exterior Deep Cleaner

WOCA Exterior Deep Cleaner is an intensive cleaning product, which rejuvenates patinated outdoor wood. It is a ready-mixed, thickflowing product, which means that the cleaner is easy to apply, even to vertical surfaces.

- Deep cleaning
- Non-drip
- Removes dirt, coatings and grey patina



 2.5 L

 8–10 m<sup>2</sup>/L

 Water based

 —

 Colourless

## Exterior Wood Primer

WOCA Exterior Wood Primer is a water based product for priming outdoor wood like e.g. facades, windows, fences etc. it improves adhesion and durability. The product is used primarily for pine, larch, spruce, oak and old pressure treated wood [except red cedar].

- Special primer for very absorbing wood
- Fast drying
- Penetrates and protects
- Requires aftertreatment with Exterior Wood Oil



# OUTDOOR – Oil – Treat



**L** 0.75 L – 2.5 L

**m²** 8–12 m²/L

**Water based**

**VOC** Max. 50 g/L

**Colours** 11 colours

*\* Only in 2.5 L*

## Exterior Wood Oil

WOCA Exterior Wood Oil to be used outdoor for basic treatment and maintenance of new and previously oiled wood surfaces such as decks, garden furniture, cladding etc.

- Provides a hard-wearing surface
- Delays emergence of mould and fungus
- May be used on all wood species
- Contains UV protection
- Fast drying



**L** 1 L – 2.5 L

**m²** 20–30 m²/L

**Water based**

**VOC** Max. 30 g/L

**Colours** —

## Exterior Wood Shield

If left untreated, outdoor wood takes on a beautiful grey patina. You can now maintain this look, while at the same time giving the wood long-lasting protection and extend its lifetime. WOCA Exterior Wood Shield is ideal for the treatment of untreated outdoor wooden surfaces, such as wooden garden furniture and patios.

- Increases the resistance of wood to wind and weather
- Can also be used in other absorbent outdoor surfaces such as tiles, concrete and stone

# OUTDOOR – Oil – Maintain



**L** 1 L – 2.5 L

**m²** 80–100 m²/L

**Water based**

**VOC** Max. 40 g/L

**Colours** —

## Wash-in Oil

Exterior Wash-in Oil is a mild oil soap for cleaning and care of oiled outdoor surfaces, such as wooden patios and garden furniture.

- 3 in 1 - cleans, oils and maintains
- Retains the beautiful look of the wood
- Increases the resistance of wood to wind and weather
- Postpones re-oiling
- Extends the lifetime of the wood



**L** 0.75 L

**m²** —

**Water based**

**VOC** Free

**Colours** —

## Exterior Multi Cleaner

WOCA Exterior Multi Cleaner is a product especially developed for cleaning exterior garden furniture made of polyrathan, wood, steel, PVC etc.

- Ready mixed – easy to use
- Also suitable for universal cleaning of other exterior items such as window frames, claddings etc.
- Ecologically friendly product
- Combine with Exterior Multi Protector (use Cleaner first)



**L** 0.75 L

**m²** —

**Water based**

**VOC** Free

**Colours** —

## Exterior Multi Protector

WOCA Exterior Multi Protector is a product developed for rejuvenating and protecting exterior garden furniture made of polyrathan, wood, steel, plastic etc.

- Suitable for universal maintenance of other exterior items such as window frames, claddings etc.
- Ready mixed – easy to use
- Provides a unique water resistant surface
- An ecologically friendly product
- Combine with Exterior Multi Cleaner (use Cleaner first)

# ACCESSORIES – 16" Polishing Machine Equipment



## GHIBLI single disc 16"

No: 399251 - Yellow/grey

Unit: 1 pc.

Product: 16"

For sanding, cleaning and buffing of wooden floors. Many operations hours. Easy to work with. Long life time for both machine and man.



## Replacement driver pulley 16"

No: 399260

Unit: 1 pc.

Product: Ø 405 mm



## Sanding grit 16" - Ø 403 mm

No: 86160 - Grit 60

No: 86161 - Grit 80

No: 86162 - Grit 100

No: 86163 - Grit 120

Unit: 10 pcs.

Used before top layer of lacquer. Ensures a perfect end result.



## Lacquer sanding pad 16"

No: 592030 - Bordeaux

Unit: 10 pcs.

Product: 8 mm thick - Ø 403 mm

Used before top layer of lacquer. Do not make scratches in lacquer.



## Lacquer sanding SPP 16"

No: 595057 - Bordeaux

Unit: 10 pcs.

Product: 8 mm thick - Ø 403 mm

Premium quality. Long lasting. Do not make scratches in lacquer. Ensures a perfect end result.



## Normal polishing pad 16"

No: 88015 - Black (hard/stripping)

No: 88014 - Green (medium/coating)

No: 88013 - White (soft/buffing)

Unit: 10 pcs.

Product: 10 mm thick - Ø 403 mm



## Super polishing pad 16"

No: 86158 - Green (medium/coating)

No: 86157 - Beige (medium/maint.)

No: 86156 - White (soft/buffing)

Unit: 5 pcs.

Product: 20 mm thick - Ø 403 mm



## Wool polishing pad 16"

No: 88047

Unit: 10 pcs.

Product: Ø 403 mm

Applying of care products.



## Patina disc 16"

No: 595095A

Unit: 6 pcs.

Wet buffing of the oil deep in structure to give high resistance of the surface.

# ACCESSORIES – 13" Polishing Machine Equipment



## GIBLI single disc 13"

No: 399250

Unit: 1 pc.

Product: 13"

For sanding, cleaning and buffing of wooden floors. Many operations hours. Easy to work with. Long life time for both machine and man.



## Replacement driver pulley 13"

No: 399261

Unit: 1 pc.

Product: Ø 330 mm



## Sanding grit 13" - Ø 330 mm

No: 88026 - Grit 60

No: 88027 - Grit 80

No: 88029 - Grit 100

No: 88030 - Grit 120

No: 88032 - Grit 150

Unit: 10 pcs.

Used before top layer of lacquer. Ensures a perfect end result.



## Normal polishing pad 13"

No: 88021 - Black [hard/stripping]

No: 88020 - Green [medium/coating]

No: 88018 - White [soft/buffing]

Unit: 10 pcs.

Product: 10 mm thick - Ø 330 mm



## Super polishing pad 13"

No: 88023 - Beige [medium/maint.]

No: 88022 - White [soft/buffing]

Unit: 10 pcs.

Product: 20 mm thick - Ø 330 mm



## Patina disc 16"

No: 595095A

Unit: 6 pcs.

Wet buffing of the oil deep in structure to give high resistance of the surface.

# ACCESSORIES – Indoor hand tools




## Fixed pad with grab handle

No: 599741 - White

Unit: 12 pcs.

Product: 90x150 mm - small

For dry buffing.



## Pad with flex grab handle


No: 599730 - Black [stripping]

No: 599755 - Red [dry buffing]

No: 599760 - White [dry buffing]

Unit: 12 pcs.

Product: 90x150 mm - small



## Replacement pads

No: 599770 - Black [stripping]

No: 599775 - Red [dry buffing]

No: 599780 - White [dry buffing]

Unit: 12 pcs.

Product: 90x150 mm - small

For grab handle.



## Grab handle for pad

No: 88041 - Blue

Unit: 10 pcs.

Product: 235x100 mm



### Telescope stick

No: 599651 - Alu

Unit: 1 pc.

Fits WOCA doodlebug handles, wipers and roller holder.




### Doodlebug pad handle

No: 399710 - Blue

Unit: 10 pcs.

Product: 235x100 mm

Incl. joint, brush and fastner.  
Fits with WOCA telescope stick #599651.



### Normal pad

No: 88033 - Black (stripping)

No: 88034 - Green (coating)

No: 88036 - White (Buffing)

Unit: 10 pcs.

Product: 250x115 mm - 8 mm thick



### Super pad

No: 88039 - Beige

No: 88040 - White

Unit: 10 pcs.

Product: 250x115 mm - 20 mm thick



### Wool pad

No: 596061 - White

Unit: 10 pcs.

Product: 250x115 mm - 5 mm thick

Applying of care products.



### Oil sponge

No: 599622

Unit: 6 pcs.

Product: 250x115 mm

For dry buffing.



### Lye wiper handle

No: 88001

Unit: 10 pcs.

Product: 40 cm wide

For applying lye.  
Requires WOCA Lye wiper fur.  
Fits with WOCA telescope stick #599651.



### Lye wiper fur

No: 88002

Unit: 10 pcs.

Product: 40 cm wide

For applying lye.



### Foamed rubber wiper

No: 88045

Unit: 10 pcs.

For applying oils.  
Fits with WOCA telescope stick #599651.



### Paint roller holder

No: 599650

Unit: 10 pcs.

Product: 250 mm

To be used with rollers.  
Fits with WOCA telescope stick #599651.



### Paint roller cylinder

No: 88004

Unit: 10 pcs.

Product: 250 mm - 4 mm

For applying oils.



### Paint roller cylinder

No: 88003

Unit: 10 pcs.

Product: 250 mm - 11 mm

For applying lacquer.





### Brush

No: 88003

Unit: 10 pcs.

For applying oils and lacquer.  
Fits with WOCA telescope stick  
#599651.



### Colour tray

No: 88008

Unit: 10 pcs.

Product: For 250 mm roller

Easy soaking of 250 mm paint rollers.



### Polishing cloth

No: 596055

Unit: 25 pcs.

Product: 50x55 cm

Drying of excess liquids.



### Polishing cloth

No: 880046

Unit: 10 kg (approx. 375 pcs.)

Product: 38x40 cm - 140 g/m<sup>2</sup>

Drying of excess liquids.



### Spray-head

No: 399730

Unit: 10 pcs.

Product: For 1 L standard WOCA bottle



### WOCA mop complete

No: 599910 - Alu

Unit: 5 pcs.



### Replacement set

No: 599811

Unit: 5 pcs.

For WOCA mop.



### Sweep mop complete

No: 599805 - Red

Unit: 12 pcs.



### Replacement set

No: 59815

Unit: 12 pcs.

For WOCA sweep mop.



### Mop holder magic click

No: 399101

Unit: 1 pc.

Product: 40 cm



### Classic cotton mop

No: 399103

Unit: 1 pc.

Product: 40 cm

# ACCESSORIES – Outdoor tools



## Silicium carbide brush 16"

No: 88050-U

Unit: 1 pc.

Product: 16" - hard, universal

Hard and penetrate in dept without sanding in the wood.



## Silicium brush

No: 88055

Unit: 1 pc.

Product: Hard, universal

Fits with WOCA telescope stick #599651.



## Brush

No: 599601

Unit: 1 pc.

Product: Universal

Fits with WOCA telescope stick #599651.



## Metal stick

No: 880154

Unit: 1 pc.

Product: Divisible

Fits with WOCA Applicator #880151.



## Applicator for oils/lyes

No: 880151

Unit: 1 pc.

Product: 9"



## Replacement pad

No: 880153

Unit: 10 pcs.

Product: 9"

For WOCA applicator.



# Ecological products for more than 40 years



## EN 71-3

The migration of metals (As, Hg, Se, Cr, Sb, Cd, Pb, Ba) of the sample was tested according to EN 71 Part 3 1995.

There was no evidence for migration of the named metals above the limit of detection (10-50 ppm).

All products for the interiors are correspondingly suitable for toys.



## IBR

WOCA Denmark's products are tested in neutral laboratories, e.g. by the Institute of Biological Building Materials in Rosenheim and are approved and certified. The impact on the health of people and environment of the methods of production and the products that are used for building, furnishing and living is examined.



## VOC

The VOC Directive, devised by the European Parliament and the Council of Europe, defines the directive limiting emissions for certain pollution causing volatile organic compounds, called VOCs.

All WOCA Denmark products meet the VOC Directives for 2007 and 2010.



## DIBt regulation

Our industrial products are all registered by DiBt for manufactures selling to the German market.



## Danish Indoor Climate Labelling

Danish Indoor Climate Labelling is a voluntary labelling scheme for products and materials which are able to document degassing. Indoor climate labelled materials are a natural component of sustainable construction, where good indoor air quality contributes to social sustainability.



## A+

Since September 2013, all floor coating products marketed and sold in France are obliged to be labelled with a VOC classification ranging from grade A+ [very low emissions] to grade C [high emissions].

The aim is to improve indoor air quality in both private and commercial buildings. This regulation enables consumers to select environmentally friendly products as well, as the grade A+ guarantees an emission of volatile substances below the limit value after 28 days – a limit value identical with the one prescribed by the Center of Competence in Civil Engineering [DIBt].



## The Nordic Swan

The Nordic Swan is the official Nordic environmental label. The Nordic Swan was formed by the Nordic Council of Ministers in 1989. Denmark joined in 1997. The Nordic Swan aims to minimise the cumulative environmental stress caused by consumerism. Accordingly, these environmental labels consider the entire journey of the product and the resulting environmental problems, so as to benefit people, the environment and protect the world's resources. In cleaning products, this means that numerous chemicals are banned. Packaging and design are also subject to requirements. Consumers must be provided with information about correct dosage, and effectiveness must be documented.



## Anti Slip Test DIN 51130

WOCA Diamond Oil, WOCA Hardwax Oil and WOCA Invisible Oil have been tested on solid wood, and achieved a R10 classification according to DIN 51130. For more information, please contact WOCA Denmark A/S.



## Fire rating EN ISO 9239-1

WOCA Diamond Oil and WOCA Hardwax Oil have been tested on solid wood, and achieved a Cfl fire rating according to EN ISO 9239-1. For more information, please contact WOCA Denmark A/S.

Distributor:

