

Safety Data Sheet

FAXE Universal Lye 0287

Replaces date: 19/02/2015 Revision date: 28/08/2015

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Trade name: FAXE Universal Lye 0287

Article no

Article no	Description
0287	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lye treatment of wood.

Inadvisable uses: The product is recommended for only the above described uses.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Esbjerg Farve- & Lakfabrik A/S

Address: Energivej 13

Zip code: DK-6700 Esbjerg

Country: DENMARK

E-mail: info@esbjergpaints.dk

Phone: 0045 75 12 86 00 **Fax:** 0045 75 45 33 68

1.4. Emergency Telephone Number

GB: +44 1215074123 (Advice and guidance) (Around the clock)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and labeling

rules for substance and mixtures.

2.2. Label elements

P-phrases

P102 Keep out of reach of children.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



Safety Data Sheet FAXE Universal Lye 0287

Replaces date: 19/02/2015 Revision date: 28/08/2015

Contains no substances subject to reporting requirements

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: In the event of feeling nausea, headache or dizziness, move into fresh air immediately.

Seek medical advice in case of persistent discomfort.

Ingestion: Give large quantities of milk or water to drink. DO NOT INDUCE VOMITING! If vomiting

occurs, hold head low to prevent aspiration of liquid into lungs. Seek medical advice in case

of discomfort.

Skin contact: Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove

clothing if soaked through and wash as above. Skin cleaner may be used. Do not use solvents. Clothing/footwear must be cleaned before use again. Get medical attention if any

discomfort continues.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes.

Open eye wide. Remove any contact lenses. Seek medical advice.

Burns: Product is non-flammable.

General: If in doubt, seek medical advice. Also see para. 1 In case of accident: Seek medical advice.

Show the label or this safety datasheet, if possible.

4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes and skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Non-flammable material.

Unsuitable extinguishing

Non-flammable material.

media:

Extinguishing methods: Non-flammable material.

5.2. Special hazards arising from the substance or mixture

Slippery ground.

5.3. Advice for fire-fighters

Cool closed containers with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Use disposable overalls which are thrown away after use. Not relevant.

For emergency responders: If there is a risk of contact with the product wear rubbergloves and a protective suit.



Safety Data Sheet **FAXE Universal Lye 0287**

Replaces date: 19/02/2015 Revision date: 28/08/2015

6.2. Environmental precautions

Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains.

6.3. Methods and material for containment and cleaning up

Prevent major quantities of spillage from being discharged into the sewage system or water by banking the spillage with sand or the like and collecting it. recover with absorbent material. Clean preferably with cleansing agents. Avoid using solvents.

6.4. Reference to other sections

Also see item 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

The product must be kept away from children. Store in a tightly closed container and in accordance with the current regulations in a dry and well-ventilated place away from food. Keep the material away from oxidizing agents and strong acidic and alkaline substances.

7.3. Specific end use(s)

Applications is mentioned in item 1.2.

Other Information: Personal protective equipment: Refer to section 8.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

Other Information: No information available.

8.2. Exposure controls

Appropriate engineering

controls:

All work must be planned with a view to limit the breathing of fumes and the exposure to the

eye/face protection:

Personal protective equipment, Protective goggles are recommended.

Personal protective equipment, Use disposable nitrile protection gloves.

hand protection:

Personal protective equipment, If possible, wear special work clothes. When spraying wear coveralls.

skin protection:

Personal protective equipment, Not required.

respiratory protection:

Environmental exposure

controls:

It must be ensured that local regulations for discharge are met.

Other Information: Washing and flushing facilities must be available.



Safety Data Sheet

FAXE Universal Lye 0287

Replaces date: 19/02/2015 Revision date: 28/08/2015

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit		
State	Liquid.		
Colour	White.		
Odour	Soap.		
Solubility	Miscible with water.		
Explosive properties	None		
Oxidising properties	No information available		

Parameter	Value/unit	Remarks
pH (solution for use)	No data	
pH (concentrate)	9 - 10	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flash Point	> 62 °C	
Evaporation rate	No data	
Flammability (solid, gas)		Irrelevant
Flammability limits		Irrelevant
Explosion limits		Irrelevant
Vapour pressure	No data	
Vapour density	No data	
Relative density	No data	
Partition coefficient n-octonol/water	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
Viscosity	10 Sec. 4 mm cup	
Odour threshold	No data	

9.2 Other information

Parameter	Value/unit	Remarks	
Density	1 - 1.10 g/ml		

Other Information: Solubility in water: Soluble in water. Fat solubility: irrelevant

SECTION 10: Stability and reactivity

10.1. Reactivity

No information is available.

10.2. Chemical stability

Stable under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known by normal use and normal conditions.

10.4. Conditions to avoid

Strong sunlight.



Safety Data Sheet FAXE Universal Lye 0287

Replaces date: 19/02/2015 Revision date: 28/08/2015

10.5. Incompatible materials

To prevent heat-generating reactions, keep the product away from oxidizing agents and strong acidic and basic substances.

10.6. Hazardous decomposition products

No information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral: Harmful if swallowed.

Acute toxicity - dermal: Dries out the skin with consequent irritation.

Acute toxicity - inhalation: Not relevant.

Skin corrosion/irritation: Prolonged or repeated skin contact will degrease skin and may cause irritation.

Serious eye damage/eye

irritation:

Splashing into eyes may cause smarting/irritation.

Germ cell mutagenicity: Would not be expected germ cell mutagen

Carcinogenic properties: Not expected to cause cancer.

Reproductive toxicity: Would not be expected to be a reproductive toxicant.

Single STOT exposure: May cause drowsiness or dizziness.

Aspiration hazard: can be fatal if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No information available

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

The product is miscible with water and will spread in water systems.

12.5. Results of PBT and vPvB assessment

This product is not a substance which is a PBT or vPBT.



Safety Data Sheet FAXE Universal Lve 0287

Replaces date: 19/02/2015 Revision date: 28/08/2015

12.6. Other adverse effects

No information available

Other Information

Do not dispose of this product in drains, watercourses, or on the ground.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste must be disposed of in accordance with local environmental control regulations. Provide good chemical hygiene.

Category of waste: Residues of the product are not considered as chemical waste.

SECTION 14: Transport information

14.1. UN-No.: Not applicable. 14.4. Packing group: Not applicable. Not applicable. 14.5. Environmental Not applicable. 14.2. UN proper shipping

hazards:

14.3. Transport hazard

Not applicable.

class(es):

14.6. Special precautions for user

Irrelevant.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC code

Irrelevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
10.0.0	30/08/2012	GK	REACH datasheet
11.0.0	29/11/2013	GK	8, 9, 11, 12, 16
12.0.0	19/02/2015	GK	2, 3, 11, 12
13.0.0	28/08/2015	GK	2, 3

Abbreviations: DNEL: Derived No Effect Level. PNEC: Predicted No Effect Concentration.

References to literature and

data sources:

REACH: REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. DPD: Directive of the European Parliament and of the Council concerning the approximation of the laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labelling of dangerous preparations. CLP: REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling and



Safety Data Sheet FAXE Universal Lye 0287

Replaces date: 19/02/2015 Revision date: 28/08/2015

packaging of substances and mixtures.

Other Information: The information in this Material Safety Data Sheet is based upon our knowledge and on

European Union legislation. The user's working conditions are outside our control. It is the responsibility of the users to fulfil the requirements set by National Legislation. The information is no guarantee of the properties of the product. The Material Safety Data Sheet

may only be reproduced with the permission of the manufacturer.

Training advice: The instructions in this Material Safety Data Sheet are given on the assumption that the

product is used as stated in item 1. Restrictions of use and special training requirements must also be complied with. The information in this Material Safety Data Sheet should be

regarded as a description of the safety issues concerning the product.

Document language: GB



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Master Floor Oil

Product no.

REACH registration number

Not applicable

Other means of identification

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

wood surfaces, indoors

Uses advised against

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address

WoodCare Denmark A/S

Tværvei 6

6640 Lunderskov

Denmark

Tel: 99585600

Fax: 99585634

Contact person

LFH

E-mail

info@ttwoodcare.com

SDS date

02-10-2013

SDS Version

1.0

1.4. Emergency telephone number

Use your national or local emergency number

See section 4 "First aid measures"

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Aquatic Chronic 3 // EUH066, H412

See full text of H/R-phrases in section 2.2.

DPD/DSD Classification

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. (R52/53). Repeated exposure may cause skin dryness or cracking. (R66).

2.2. Label elements

Hazard pictogram(s)

Hazard statement(s)

Signal word

-

Harmful to aquatic life with long lasting effects. (H412)



Identity of the substances primarily responsible for the major health hazards

General Read label before use. (P103)

Keep out of reach of children. (P102)

If medical advice is needed, have product container or label at hand. (P101) Safety

statement(s) Avoid release to the environment. (P273) Prevention

> Response Storage

Disposal Dispose of contents/container to an approved waste disposal plant. (P501)

2.3. Other hazards

Contains drying oils. Risk of self-ignition. After spills and used cloths, etc. have been recovered, store in fireproof waste disposal containers before destroying. This product contains teratogenic substances, which can cause long-term damage to the human embryo.

The product contains substances that can damage the reproductive system.

This product contains an organic solvent. Repeated exposure to organic solvents can result in damage to the nervous system and inner organs, such as the liver and kidneys.

Additional labelling

Contains cobalt bis(2-ethylhexanoate). May produce an allergic reaction. Repeated exposure may cause skin dryness or cracking. (EUH066)

Additional warnings

VOC

VOC-MAX: 45 g/l, MAXIMUM VOC CONTENT (A (SB)): 500 g/l.

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances

NAMF: Distillates (petroleum), hydrotreated light

IDENTIFICATION NOS.: REACH-no: 01-2119457736-27

CONTENT: 40-60% DSD CLASSIFICATION: Xn:R65 R66 CLP CLASSIFICATION: Asp. Tox. 1

H304, EUH066

NAMF: Naphtha (petroleum), hydrotreated heavy

IDENTIFICATION NOS.: REACH-no: 01-2119457273-39

CONTENT: 1-5% DSD CLASSIFICATION: Xn;R65 R66 CLP CLASSIFICATION: Asp. Tox. 1 H304, EUH066

NOTF:

NAMF: cobalt bis(2-ethylhexanoate)

IDENTIFICATION NOS.: CAS-no: 136-52-7 EC-no: 205-250-6 REACH-no: 01-2119524678-29

CONTENT: <1%

Xi;R43 Rep3;R62 N;R50/53 DSD CLASSIFICATION:

CLP CLASSIFICATION: Eye Irrit. 2, Skin Sens. 1, Rep. 2, Aquatic Acute 1, Aquatic Chronic 1

H317, H319, H361, H400, H410

(*) See full text of H/R-phrases in chapter 16. Occupational limits are listed in section 8, if these are available.

S = Organic solvent

Other informations

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

Inhalation

Get the person into fresh air and stay with them.



Skin contact

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Remove contact lenses. Flush eyes immediately with plenty of water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. If irritation continues, contact a doctor.

Ingestion

Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

Burns

Rinse with water until the pain stops and continue for 30 minutes.

4.2. Most important symptoms and effects, both acute and delayed

Reproductive toxicity: This product contains teratogenic substances which can do long-term damage to human offspring. The effects on the child can be: death, deformity, delayed development, and functional disorders.

Reproductive toxicity: This product contains substances which can do damage to reproductive capacity, e.g. damage to germ cells or hormonal regulation. The effects can be: sterility, reduced fertility, menstruation disorders, etc.

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

Sensitivity effects: This product contains substances which can give an allergic reaction on contact with skin. The allergic reaction will typically set in 12-72 hours after exposure as the substance penetrates the skin and reacts with proteins in the outer skin. The body's immune system sees the chemically changed protein as a foreign body and will try to destroy it.

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, as in the case of fire, dangerous catabolic substances are produced. These are: Carbon oxides. Fire will result in thick black smoke. Exposure to catabolic products can damage your health. Fire fighters should use proper protection gear. Closed containers, which are exposed to fire, should be cooled with water. Do not let fire-extinguishing water run into sewers and other water courses.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact.

SECTION 6: Accidental release measures


6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Consider putting up waste collecting trays/basins to prevent leakage to the surroundings. Avoid discharge to lakes, streams, sewers, etc. In the event of a leakage to the surroundings, contact the local environmental authorities.

6.3. Methods and material for containment and cleaning up





Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

6.4. Reference to other sections

See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Because of the danger of self-ignition, any waste from the product, spray mist and soiled rags etc. are to be kept in a fire-proof place in air-tight containers, alternatively the waste is to be burned. Smoking, consumption of food or liquid, and storage of tobacco, food or liquids are not allowed in the workrooms. Consider putting up waste collecting trays/basins to prevent leakage to the surroundings. See section on 'Exposure controls/personal protection' for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Storage temperature

Store frost-free.

7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

No data available

DNEL / PNEC

No data available.

8.2. Exposure controls

No control is necessary if the product is used in a normal way.

General recommendations

Smoking, consumption of food or liquid, and storage of tobacco, food or liquid, are not allowed in the workroom.

Exposure scenarios

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

Exposure limits

There are no maximum exposure limits for the substances contained in this product.

Appropriate technical measures

Take ordinary precautions when using the product. Avoid inhalation of gas or dust.

Hygiene measures

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment



Generally

Only CE-marked personal protection equipment should be used.

Respiratory Equipment

No specific requirements.

Skin protection

No specific requirements.



Hand protection

Recommended: Nitrile rubber. . Breakthrough time: See the manufacturer's instructions

Eye protection

Use face shield. Use safety glasses with a side shield as an alternative.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form Colour Odour pH Viscosity Density (g/cm3)

Liquid Various Faint - - 0,88-0,98

Phase changes

Melting point (°C) Boiling point (°C) Vapour pressure (mm Hg)

•

Data on fire and explosion hazards

Flashpoint (°C) Ignition (°C) Self ignition (°C)

100 - -

Explosion limits (Vol %) Oxidizing properties

Solubility

Solubility in water n-octanol/water coefficient

Insoluble -

9.2. Other information

Solubility in fat Additional information

- N/A

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in the section on "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight), because it can lead to excess pressure.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidising agents, and strong catabolic agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Substance Species Test Route of exposure Result

No data available.

Skin corrosion/irritation

No data available.

Serious eye damage/irritation

No data available.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

STOT-single exposure



No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Long term effects

Reproductive toxicity: This product contains teratogenic substances which can do long-term damage to human offspring. The effects on the child can be: death, deformity, delayed development, and functional disorders.

Reproductive toxicity: This product contains substances which can do damage to reproductive capacity, e.g. damage to germ cells or hormonal regulation. The effects can be: sterility, reduced fertility, menstruation disorders, etc.

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

Sensitivity effects: This product contains substances which can give an allergic reaction on contact with skin. The allergic reaction will typically set in 12-72 hours after exposure as the substance penetrates the skin and reacts with proteins in the outer skin. The body's immune system sees the chemically changed protein as a foreign body and will try to destroy it.

SECTION 12: Ecological information

12.1. Toxicity

Substance Species Test Test duration Result

No data available.

12.2. Persistence and degradability

Substance Biodegradability Test Result

No data available.

12.3. Bioaccumulative potential

Substance Potential bioaccumulation LogPow BFC

No data available.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

This product contains ecotoxic substances which can have damaging effects on water-organisms. This product contains substances which can cause undesirable long-term effects in the water environment, due to its poor biodegradability.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product is covered by the regulations on dangerous waste.

Waste

EWC code

Specific labelling

Contaminated packing

Packaging which contains leftovers from the product must be disposed of in the same way as the product.

SECTION 14: Transport information

Not listed as dangerous goods under ADR and IMDG regulations.

14.1 - 14.4

ADR/RID

14.1. UN
number
name

14.2. UN proper shipping
class(es)

14.3. Transport hazard
class(es)

Notes



IMDG UN-no. Proper Shipping Name Class PG* EmS MP** Hazardous constituent

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

(*) Packing group

(**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC. For exceptions, see the Danish Working Environment Authority's Executive Order No. 239 of 6 April 2005.

Demands for specific education

Additional information

15.2. Chemical safety assessment

Nο

SECTION 16: Other information'

Sources

EC regulation 1907/2006 (REACH) Directive 2000/532/EC

EC Regulation 1272/2008 (CLP)

Full text of H/R-phrases as mentioned in section 3

R43 - May cause sensitisation by skin contact.

R62 - Possible risk of impaired fertility.

R65 - Harmful: may cause lung damage if swallowed.

R66 - Repeated exposure may cause skin dryness or cracking.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

H304 - May be fatal if swallowed and enters airways.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eve irritation.

H361 - Suspected of damaging fertility or the unborn child.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

EUH066 - Repeated exposure may cause skin dryness or cracking.

The full text of identified uses as mentioned in section 1

Other symbols mentioned in section 2

Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

The safety data sheet is validated by

LFH



According to EC-Regulation 1907/2006 (REACH)

Date of last essential change (First cipher in SDS version)

Date of last minor change (Last cipher in SDS version)

ALPHAOMEGA. Licens nr.:2603245550, WoodCare Denmark A/S www.chymeia.com