

Safety Data Sheet

FAXE Universal Lye 0287

Replaces date: 19/02/2015 Revision date: 28/08/2015

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Trade name: FAXE Universal Lye 0287

Article no

Article no	Description
0287	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lye treatment of wood.

Inadvisable uses: The product is recommended for only the above described uses.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Esbjerg Farve- & Lakfabrik A/S

Address: Energivej 13

Zip code: DK-6700 Esbjerg

Country: DENMARK

E-mail: info@esbjergpaints.dk

Phone: 0045 75 12 86 00 **Fax:** 0045 75 45 33 68

1.4. Emergency Telephone Number

GB: +44 1215074123 (Advice and guidance) (Around the clock)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and labeling

rules for substance and mixtures.

2.2. Label elements

P-phrases

P102 Keep out of reach of children.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



Replaces date: 19/02/2015 Revision date: 28/08/2015

Contains no substances subject to reporting requirements

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: In the event of feeling nausea, headache or dizziness, move into fresh air immediately.

Seek medical advice in case of persistent discomfort.

Ingestion: Give large quantities of milk or water to drink. DO NOT INDUCE VOMITING! If vomiting

occurs, hold head low to prevent aspiration of liquid into lungs. Seek medical advice in case

of discomfort.

Skin contact: Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove

clothing if soaked through and wash as above. Skin cleaner may be used. Do not use solvents. Clothing/footwear must be cleaned before use again. Get medical attention if any

discomfort continues.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes.

Open eye wide. Remove any contact lenses. Seek medical advice.

Burns: Product is non-flammable.

General: If in doubt, seek medical advice. Also see para. 1 In case of accident: Seek medical advice.

Show the label or this safety datasheet, if possible.

4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes and skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Non-flammable material.

Unsuitable extinguishing

Non-flammable material.

media:

Extinguishing methods: Non-flammable material.

5.2. Special hazards arising from the substance or mixture

Slippery ground.

5.3. Advice for fire-fighters

Cool closed containers with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Use disposable overalls which are thrown away after use. Not relevant.

For emergency responders: If there is a risk of contact with the product wear rubbergloves and a protective suit.



Replaces date: 19/02/2015 Revision date: 28/08/2015

6.2. Environmental precautions

Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains.

6.3. Methods and material for containment and cleaning up

Prevent major quantities of spillage from being discharged into the sewage system or water by banking the spillage with sand or the like and collecting it. recover with absorbent material. Clean preferably with cleansing agents. Avoid using solvents.

6.4. Reference to other sections

Also see item 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

The product must be kept away from children. Store in a tightly closed container and in accordance with the current regulations in a dry and well-ventilated place away from food. Keep the material away from oxidizing agents and strong acidic and alkaline substances.

7.3. Specific end use(s)

Applications is mentioned in item 1.2.

Other Information: Personal protective equipment: Refer to section 8.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

Other Information: No information available.

8.2. Exposure controls

Appropriate engineering

controls:

All work must be planned with a view to limit the breathing of fumes and the exposure to the

eye/face protection:

Personal protective equipment, Protective goggles are recommended.

Personal protective equipment, Use disposable nitrile protection gloves.

hand protection:

Personal protective equipment, If possible, wear special work clothes. When spraying wear coveralls.

skin protection:

Personal protective equipment, Not required.

respiratory protection:

Environmental exposure

controls:

It must be ensured that local regulations for discharge are met.

Other Information: Washing and flushing facilities must be available.



Safety Data Sheet

FAXE Universal Lye 0287

Replaces date: 19/02/2015 Revision date: 28/08/2015

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Liquid.
Colour	White.
Odour	Soap.
Solubility	Miscible with water.
Explosive properties	None
Oxidising properties	No information available

Parameter	Value/unit	Remarks
pH (solution for use)	No data	
pH (concentrate)	9 - 10	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flash Point	> 62 °C	
Evaporation rate	No data	
Flammability (solid, gas)		Irrelevant
Flammability limits		Irrelevant
Explosion limits		Irrelevant
Vapour pressure	No data	
Vapour density	No data	
Relative density	No data	
Partition coefficient n-octonol/water	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
Viscosity	10 Sec. 4 mm cup	
Odour threshold	No data	

9.2 Other information

Parameter	Value/unit	Remarks
Density	1 - 1.10 g/ml	

Other Information: Solubility in water: Soluble in water. Fat solubility: irrelevant

SECTION 10: Stability and reactivity

10.1. Reactivity

No information is available.

10.2. Chemical stability

Stable under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known by normal use and normal conditions.

10.4. Conditions to avoid

Strong sunlight.



Replaces date: 19/02/2015 Revision date: 28/08/2015

10.5. Incompatible materials

To prevent heat-generating reactions, keep the product away from oxidizing agents and strong acidic and basic substances.

10.6. Hazardous decomposition products

No information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral: Harmful if swallowed.

Acute toxicity - dermal: Dries out the skin with consequent irritation.

Acute toxicity - inhalation: Not relevant.

Skin corrosion/irritation: Prolonged or repeated skin contact will degrease skin and may cause irritation.

Serious eye damage/eye

irritation:

Splashing into eyes may cause smarting/irritation.

Germ cell mutagenicity: Would not be expected germ cell mutagen

Carcinogenic properties: Not expected to cause cancer.

Reproductive toxicity: Would not be expected to be a reproductive toxicant.

Single STOT exposure: May cause drowsiness or dizziness.

Aspiration hazard: can be fatal if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No information available

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

The product is miscible with water and will spread in water systems.

12.5. Results of PBT and vPvB assessment

This product is not a substance which is a PBT or vPBT.



Replaces date: 19/02/2015 Revision date: 28/08/2015

12.6. Other adverse effects

No information available

Other Information

Do not dispose of this product in drains, watercourses, or on the ground.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste must be disposed of in accordance with local environmental control regulations. Provide good chemical hygiene.

Category of waste: Residues of the product are not considered as chemical waste.

SECTION 14: Transport information

14.1. UN-No.:Not applicable.14.4. Packing group:Not applicable.14.2. UN proper shippingNot applicable.14.5. EnvironmentalNot applicable.

hazards:

namo

14.3. Transport hazard Not applicable.

class(es):

14.6. Special precautions for user

Irrelevant.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC code

Irrelevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
10.0.0	30/08/2012	GK	REACH datasheet
11.0.0	29/11/2013	GK	8, 9, 11, 12, 16
12.0.0	19/02/2015	GK	2, 3, 11, 12
13.0.0	28/08/2015	GK	2, 3

Abbreviations: DNEL: Derived No Effect Level. PNEC: Predicted No Effect Concentration.

References to literature and data sources:

REACH: REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. DPD: Directive of the European Parliament and of the Council concerning the approximation of the laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labelling of dangerous preparations. CLP: REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling and



Replaces date: 19/02/2015 Revision date: 28/08/2015

packaging of substances and mixtures.

Other Information: The information in this Material Safety Data Sheet is based upon our knowledge and on

European Union legislation. The user's working conditions are outside our control. It is the responsibility of the users to fulfil the requirements set by National Legislation. The information is no guarantee of the properties of the product. The Material Safety Data Sheet

may only be reproduced with the permission of the manufacturer.

Training advice: The instructions in this Material Safety Data Sheet are given on the assumption that the

product is used as stated in item 1. Restrictions of use and special training requirements must also be complied with. The information in this Material Safety Data Sheet should be

regarded as a description of the safety issues concerning the product.

Document language: GB

Faxe Color Oil

Last changed: 13/11/2013 Replaces date: 07/05/2013 Internal No. 0270

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name Faxe Color Oil

1.2. Relevant identified uses of the substance or mixture and uses advised against

RECOMMENDED USES: Oil treatment of wood.

INADVISABLE USES: The product is recommended for only the above described uses.

Application Area No.	Application Area
22	Wood

Internal Article No.	Internal Name	
0270	Faxe Color Olie	

1.3. Details of the supplier of the safety data sheet

NATIONAL MANUFACTURER/IMPORTER

Enterprise Esbjerg Farve- & Lakfabrik A/S

Address Energivej 13 Postal code DK-6700 Esbjerg

Country Danmark

Email info@esbjergpaints.dk Internet www.esbjergpaints.dk Tel 0045 75 12 86 00 Fax 0045 75 45 33 68

1.4. Emergency telephone number

Emergency Phone	Type of assistance	Opening Hours
GB: +44 1215074123	Advice and guidance	Around the clock

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

DPD Classification:

Most serious harmful effects::

2.2. Label elements

S-PHRASES

S2 Keep out of the reach of children.

S23-D Do not breathe vapour.

S24 Avoid contact with skin.

S29 Do not empty into drains.

S62 If swallowed, do not induce vomiting, seek medical advice immediately and show this container or label.

VOC

EU limit value for this product (cat A/i): 600 g/l (2007). 500 g/l (2010). This product contains max 391 g/l VOC.

2.3. Other hazards

No known information.

SECTION 3: Composition/information on ingredients

Faxe Color Oil

Last changed: 13/11/2013 Replaces date: 07/05/2013 Internal No. 0270

3.2. Mixtures

Ingredient name	Reg. no.	EC No.	CAS No.	Conc. (wt%)	DPD-Classification	CLP-classification
Alkanes, C12-14-iso-		271-369-5	68551-19- 9	10 - 25 %	Xn,R65 - R66	Asp. Tox. 1 H304 EUH066
2-methyldecane		271-369-5	90622-57- 4	25 - 50 %	Xn,R53 - R65 - R66	Flam. Liq. 3 H226 Asp. Tox. 1 H304 Aquatic Chronic 4 H413

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

SECTION 4: First aid measures

4.1. Description of first aid measures

INHALATION

If patient feels unwell move to fresh air and keep under surveillance. If the victim is unconscious, ascertain whether the victim is breathing. If breathing has stopped, apply artificial respiration. If the victim is unconscious but breathing, place in the recovery position and keep warm with blankets. Call for medical attention or ambulance.

INGESTION

Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn''t enter the lungs. Get medical attention immediately!

SKIN

Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Do not use solvents.

EYES

Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.

GENERAL

If in doubt, seek medical advice. Also see para. 1

4.2. Most important symptoms and effects, both acute and delayed

Headache, dizziness, drowsiness and nausea. May cause chemical pneumonia if vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING MEDIA:

Fire can be extinguished with carbon dioxide, powder, foam or water spray.

UNSUITABLE EXTINGUISHING MEDIA

Do not use a direct water jet that could spread the fire.

5.2. Special hazards arising from the substance or mixture

No specific.

Faxe Color Oil

Last changed: 13/11/2013 Replaces date: 07/05/2013 Internal No. 0270

5.3. Advice for firefighters

Cool closed containers with water. Fire will produce a thick black smoke. Products of combustion are harmful and respiratory protection is required.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

PERSONAL PRECAUTIONS

Avoid inhalation of vapours

FOR NON-EMERGENCY PERSONNEL

Remove all ignition sources and ensure sufficient ventilation. In case of accident use air-supplied respirators and nitrile gloves.

FOR EMERGENCY RESPONDERS

Use nitrile protection gloves and self-contained breathing apparatus.

6.2. Environmental precautions

Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains.

6.3. Methods and material for containment and cleaning up

METHODS AND MATERIAL

Prevent major quantities of spillage from being discharged into the sewage system or water by banking the spillage with sand or the like and collecting it. Clean the contaminated area with a suitable cleaning agent, but do not use solvent.

6.4. Reference to other sections

Also see item 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Avoid inhaling vapors and spray mists. Personal protective equipment: Refer to section 8.Do not eat, drink, smoke or store tobacco, food or drink in work places or areas where there is a risk of contact with the product.

Contains drying oils. Risk of self-ignition. After spills and used cloths, etc. have been recovered, store in fireproof waste disposal containers before destroying.

7.2. Conditions for safe storage, including any incompatibilities

The product must be kept away from children. Store in a tightly closed container and in accordance with the current regulations in a dry and well-ventilated place away from food. Contains drying oils. Risk of self-ignition. After spills and used cloths, etc. have been recovered, store in fireproof waste disposal containers before destroying.

7.3. Specific end use(s)

Applications is mentioned in item 1.2.

OTHER INFORMATION

Smoking and the consumption of food and drink are not permitted in work rooms. Personal protective equipment: Refer to section 8.

SECTION 8: Exposure controls/personal protection

Faxe Color Oil

Last changed: 13/11/2013 Replaces date: 07/05/2013 Internal No. 0270

8.1. Control parameters

Occupational exposure limits

Ingredient name	CAS No.	Range	ppm	mg/m3	Year	Remarks
Alkanes, C12-14-iso-	68551-19-9	8 h	25	180		
R=Toxic for reproduction, H=Skin absorption, K=Carcinogenic, A=Sensitising, T=Upper limit, M=Mutagenic						

BIOLOGICAL THRESHOLD VALUES

DNEL - Values are missing.PNEC - Values are missing.

8.2. Exposure controls

APPROPRIATE ENGINEERING CONTROLS

All work must be planned with a view to limit the breathing of fumes and the exposure to the skin. If this is not possible, use respiratory protection.

EYE PROTECTION

No special precautions required.

SKIN PROTECTION

If possible, wear special work clothes. When spraying wear coveralls.

HAND PROTECTION

Use nitrile protection gloves. A 15-mil thickness glove provides a 8 hour breakthrough-time. Follow the glove manufacturer's recommendations on use and replacement.

RESPIRATORY PROTECTION

With insufficient ventillation use respirator with filter type A.

LIMITATION OF ENVIRONMENTAL EXPOSURE

It must be ensured that local regulations for discharge are met.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

STATE Liquid.

COLOUR Different.

ODOUR Odour of organic solvent.

SOLUBILITY Not miscible with water.

EXPLOSIVE PROPERTIES No information available

OXIDISING PROPERTIES No information available

SOLUBILITY IN WATER Insoluble in water.

FAT SOLUBILITY irrelevant

Faxe Color Oil

Last changed: 13/11/2013 Replaces date: 07/05/2013 Internal No. 0270

Parameter	Value/unit	Method/reference	Observation
pH (concentrate)	No data		1)
pH (solution for use)	No data		2)
Melting point	No data		3)
Freezing point	No data		
Initial boiling point and boiling range	No data		
Flash point	> 62 °C		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explosion limits	0,6 - 7 %		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		
Auto-ignition temperature	No data		
Decomposition temperature	No data		
Viscosity	20 - 250 s	4 mm cup	

9.2. Other information

Parameter	Value/unit	Method/reference	Observation
Density	0,93 g/cm ³		
VOC	391 g/l		
Fire class	III-1		
Weight % organic solvents	42		

Note no.	Comments
1	irrelevant
2	irrelevant
3	irrelevant

SECTION 10: Stability and reactivity

10.1. Reactivity

No information is available.

10.2. Chemical stability

Stable under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known by normal use and normal conditions.

10.4. Conditions to avoid

Heat, flames and sparks. Direct sources of heat. Strong sunlight for prolonged periods.

10.5. Incompatible materials

To prevent heat-generating reactions, keep the product away from oxidizing agents and strong acidic and basic substances.

10.6. Hazardous decomposition products

carbon monoxide.

SECTION 11: Toxicological information

Faxe Color Oil

Last changed: 13/11/2013 Replaces date: 07/05/2013 Internal No. 0270

11.1. Information on toxicological effects

Acute toxicity - oral

Aspiration during vomiting or ingestion may cause chemical pneumonia. Ingestion of large quantities may cause gastrointestinal disorders.

Acute toxicity - dermal

Organic solvents have a degreasing effect on the skin.

Acute toxicity - inhalation

Inhalation of vapors may cause symptoms of poisoning such as memory and concentration difficulties, abnormal tiredness, irritability and, in extreme cases, unconsciousness.

Skin corrosion/irritation

Prolonged or repeated skin contact will degrease skin and may cause irritation.

Serious eye damage/eye irritation

Splashing into eyes may cause smarting/irritation.

Germ cell mutagenicity

Would not be expected germ cell mutagen

Carcinogenic properties

No information available

Reproductive toxicity

Would not be expected to be a reproductive toxicant.

Aspiration hazard

can be fatal if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

ACUTE AQUATIC TEST RESULTS

No information available

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

The product is insoluble in water and will spread out on the surface.

12.5. Results of PBT and vPvB assessment

Faxe Color Oil

Last changed: 13/11/2013 Replaces date: 07/05/2013 Internal No. 0270

This product is not a substance which is a PBT or vPBT.

12.6. Other adverse effects

No information available

OTHER INFORMATION

Do not dispose of this product in drains, watercourses, or on the ground.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

GENERAL REGULATIONS

Product residues are classified as chemical waste.

CATEGORY OF WASTE

Waste-code: 08 01 11 Waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transport information

Classified as Dangerous Goods: No

Land transport	Land transport (ADR/RID)			
14.1. UN number	Not applicable	14.4. Packing group	Not applicable	
14.2. UN proper shipping name	Not applicable	14.5. Environmental hazards	Not applicable	
14.3. Transport hazard class(es)	Not applicable			
Hazard label(s)	Not applicable			
Hazard identification number	Not applicable	Tunnel restriction code	Not applicable	

Inland water wa	Inland water ways transport (ADN)			
14.1. UN number	Not applicable	14.4. Packing group	Not applicable	
14.2. UN proper shipping name	Not applicable	14.5. Environmental hazards	Not applicable	
14.3. Transport hazard class(es)	Not applicable			
Hazard label(s)	Not applicable			
Environmental hazard in tank vessels	Not applicable			

Faxe Color Oil

Last changed: 13/11/2013 Replaces date: 07/05/2013 Internal No. 0270

Sea transport	(IMDG)			
14.1. UN number	Not applicable	14.4. Packing group	Not applicable	
14.2. UN proper shipping name	Not applicable	14.5. Environmental hazards	Not applicable	
14.3. Transport hazard class(es)	Not applicable			
Hazard label(s)	Not applicable			
Sub Risk:	Not applicable			
IMDG Code segregation group	Not applicable			
Marine pollutant	Not applicable			
Substance name(s) on marine pollutant	Not applicable			
EMS:	Not applicable			

Air transport	(ICAO-TI / IATA-DGR)		
14.1. UN number	Not applicable	14.4. Packing group	Not applicable
14.2. UN proper shipping name	Not applicable		
14.3. Transport hazard class(es)	Not applicable		
Hazard label(s)	Not applicable		

14.6. SPECIAL PRECAUTIONS FOR USER

Irrelevant.

14.7. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE

Irrelevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

OTHER REGULATORY INFORMATION

No known

15.2. Chemical safety assessment

OTHER INFORMATION

Chemical safety assessment has not been performed.

SECTION 16: Other information

Indication of changes

ISSUED: 25/10/2007

Faxe Color Oil

Last changed: 13/11/2013 Replaces date: 07/05/2013 Internal No. 0270

Indication of changes

Version	Rev. date	Responsible	Changes
5.0.0	07/05/2013	GK	REACH data sheet
6.0.0	13/11/2013	GK	Item 2, 7, 8, 9, 12, 16

ABBREVIATIONS

DNEL: Derived No Effect Level. PNEC: Predicted No Effect Concentration.

Information sources

REACH: REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. DPD: Directive of the European Parliament and of the Council concerning the approximation of the laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labelling of dangerous preparations. CLP: REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling and packaging of substances and mixtures.

REFERENCES FOR ADDITIONAL INFORMATION

The information in this Material Safety Data Sheet is based upon our knowledge and on European Union legislation. The user's working conditions are outside our control. It is the responsibility of the users to fulfil the requirements set by National Legislation. The information is no guarantee of the properties of the product.

LIST	LIST OF RELEVANT R-PHRASES		
R53	May cause long-term adverse effects in the aquatic environment.		
R65	Harmful: may cause lung damage if swallowed.		
R66	R66 Repeated exposure may cause skin dryness or cracking.		

LIST OF R	LIST OF RELEVANT H-STATEMENTS	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H413	May cause long lasting harmful effects to aquatic life.	

TRAINING ADVICE

The instructions in this Material Safety Data Sheet are given on the assumption that the product is used as stated in item 1. Restrictions of use and special training requirements must also be complied with. The information in this Material Safety Data Sheet should be regarded as a description of the safety issues concerning the product.

OTHER INFORMATION

The Material Safety Data Sheet may only be reproduced with the permission of the manufacturer.