WOCA® Diamond Oil

THE Nº1 ONE-COAT-SYSTEM






The second secon

Spectacular art and stunning wood floors

Museum Hermitage, Amsterdam

The treasures of Russia's most magnificent museum, the world famous State Hermitage Museum in St. Petersburg, can be explored in the Dutch satellite branch, the Hermitage Amsterdam. Located along the Amstel river, the Hermitage Amsterdam is an exhibition space and education centre focusing on the collection of 3-million art pieces from the mother museum.

The wood floor in "the Keizersvleugel" has been renovated with WOCA Diamond Oil. WOCA soaps are used for the regular cleaning.









WOCA **Diamond Oil**

The Nº1 one-coat-system.

WoodCare Denmark has launched new contemporary colours into their WOCA Diamond Oil range. The Diamond Oils are a completely new generation of professional oil treatment system, for finishing floors and are unique in the market, with consumption of up to 25 sq meters per litre. All applied in one simple coat.

The Diamond Oil has +99% solid content with low viscosity and suitable for all types of hard and softwood flooring, parquet, wall and ceiling panels.

The Diamond Oil is a simple system which is unique and easy to apply with a high degree of saturation, fast drying producing an extremely hard wearing surface with high water and stain resistance from day one.

The WOCA Diamond Oil is available in several modern colours but can also be tinted in customized colours for industrial application. WOCA Diamond Oils are environmentally friendly products based on vegetable oils and unique unleaded drying agents.

The Diamond Oils are suitable for commercial high wear applications with the maximum water and stain resistance.

The Diamond Oils are compatible with all WOCA after care products. Diamond Oil is used for oil finishing of wooden floors with floor machine. Diamond Oil is ideal for basic finishing of any unfinished, new and newly sanded interior woodwork.

- Suitable for all types of wood floors
- One-coat-system
- · Direct content to the wood
- Waterproof
- · Extreme hard-wearing surface
- Fast drying
- High spread coverage

PRODUCT INFO -



1 litre and 2,5 litre



20-25 m²/litre





voc Max. 6 g/litre



9 colours





IBR: Our products are tested in neutral laboratories, e.g. by the Institue of Biological Building Materials in Rosenheim.





EN 71-3: The migration of metals (As, Hg, Se, Cr, Sb, Cd, Pb, Ba) of the sample was tested according EN 71 Part 3 1995.

VOC: All WoodCare Denmark products meet the new VOC Directives for 2010.





Anti Slip Test DIN 51130: Diamond Oil, Hardwax Oil and Neutral Oil have been tested on solid wood, and achieved a R10 clasification according to DIN 51130.





DIBt regulation: Our industrial products are all registered by DiBt for manufactures selling to the German market



A+: The label in cludes a letter indicating the highest/ worst emissions class of the listed individual substances and the TVOC.



White

Extra White

Carbon Black

Concrete Grey

Sand Grev

Smoke Brown

Chocolate Brown

Caramel Brown





















Distributor:

WOODCARE DENMARK A/S

Phone: +45 99 58 56 00 Fax: +45 44 58 56 36 Tvaervej 6 DK-6640 Lunderskov

info@ttwoodcare.com www.wocadenmark.com

